







www.mafra.com

Tel.+39 023569981

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.06.2017 Version number 1 Revision: 28.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: NEVE
- -1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Exterior vehicle cleaner
- Uses advised against

The mixture is not raccomended for industrial, professional and consumer applications not specified as relevant identified uses

- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MA-FRA S.p.A. Via Aquileia, 44/46 20021 Baranzate (M

20021 Baranzate (MI) ITALIA

 $mafra@\ mafra.it$

- Informing department:

info@mafra.it

E-mail: lab@mafra.it

- 1.4 Emergency telephone number: Contact the local hospital or the poison control center closest to you

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS07

- Signal word Warning
- Hazard-determining components of labelling:

dodecylbenzenesulphonic acid

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

- Precautionary statements

P102 Keep out of reach of children.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Printing date 28.06.2017 Version number 1 Revision: 28.06.2017

Trade name: NEVE

(Contd. of page 1)

- Additional information:

Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- Description: Mixture of substances

- Dangerous components:		
CAS: 111-76-2	2-butoxyethanol	<2%
EINECS: 203-905-0 Reg.nr.: 01-2119475108-36	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 68515-73-1	Alkyl polyglucosyde C8-C10	<2%
Reg.nr.: 01-2119488530-36	🧇 Eye Dam. 1, H318	
CAS: 141-43-5	2-aminoethanol	<2%
EINECS: 205-483-3	Skin Corr. 1B, H314;	
CAS: 51981-21-6	glutamic acid, N,N-diacetic acid, tetrasodium salt	<2%
Reg.nr.: 01-2119493601	🥎 Met. Corr.1, H290	
CAS: 2634-33-5	1,2-benzisothiazolin-3-one	<2%
EINECS: 220-120-9	Eye Dam. 1, H318; 🔖 Aquatic Acute 1, H400; 🕦 Acute Tox. 4, H302; Skin Irrit. 2 H315; Skin Sens. 1, H317	2,
Decretation (EC) No 649/2004		

- Regulation (EC) No 648/2004

non-ionic surfactants, polycarboxylates, anionic surfactants, perfumes <5% preservation agents (BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE)

- Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation In case of unconsciousness bring patient into stable side position for transport.
- After skin contact

Instantly wash with water and soap and rinse thoroughly.

Instantly rinse with water.

- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing Instantly call for doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- -4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire

Carbon monoxide (CO)

(Contd. on page 3)

Printing date 28.06.2017 Version number 1 Revision: 28.06.2017

Trade name: NEVE

(Contd. of page 2)

- 5.3 Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Protect from heat.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class
- Class according to regulation on inflammable liquids: Void
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

141-43-5 2-aminoethanol

WEL Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Sk

- PNECs

111-76-2 2-butoxyethanol

PNEC STP 463 mg/L (STP)
Soft Water 8.8 mg/L (Water)
Sea water 0.88 mg/L (Water)
Sediment (soft water) 34.6 mg/Kg (Water)

(Contd. on page 4)

Printing date 28.06.2017 Version number 1 Revision: 28.06.2017

Trade name: NEVE

Sediment (sea water) 3.46 mg/Kg (Water)

(Contd. of page 3)

- Ingredients with biological limit values: 111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Breathing equipment: Not required.
- Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Nitrile rubber, NBR

Neoprene gloves

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information

- Appearance:

Form: Liquid

Colour: According to product specification

- Odour: Pleasant Not determined. - Odour threshold:

-pH-value at 20 °C: 7

- Change in condition

Melting point/freezing point: Not determined Initial boiling point and boiling range: 100 °C - Flash point: >100 °C

- Inflammability (solid, gaseous) Not applicable. >200 °C - Ignition temperature:

(Contd. on page 5)

(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1 Printing date 28.06.2017 Revision: 28.06.2017

Trade name: NEVE

- Decomposition temperature: Not determined.

- Self-inflammability: Product is not selfigniting. - Explosive properties: Product is not explosive.

- Critical values for explosion:

Lower: Not determined. Upper: Not determined.

- Vapour pressure at 20 °C: 23 hPa - Density at 20 °C $1.1 \, g/cm^3$ - Relative density Not determined. - Vapour density Not determined. - Evaporation rate Not determined.

- Solubility in / Miscibility with

Not miscible or difficult to mix Water:

- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

dynamic: Not determined. kinematic: Not determined.

- Solvent content:

3.4 % Organic solvents: 91.5 % Water:

- 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity Stable under normal conditions
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects - Acute toxicity Based on available data, the classification criteria are not met.				
- LD/LC50 values that are relevant for classification:				
111-76-2 2-butoxyethanol				
Oral LD50 1480 mg/Kg (rat)				
Dermal LD50 400 mg/Kg (rab)				
141-43-5 2-aminoethanol				
Oral LD50 2050 mg/Kg (rat)				
Dermal LD50 1000 mg/Kg (rbt)				
85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.				
Oral LD50 1350 mg/Kg (rat)				
77-92-9 citric acid				
Oral LD50 6730 mg/Kg (rat)				
32210-23-4 Dorysil				
Oral LD50 5000 mg/Kg (rat)				
106-22-9 Citronellol				
Oral LD50 3450 mg/Kg (rat)				

(Contd. on page 6)

(Contd. of page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.06.2017 Version number 1 Revision: 28.06.2017

Trade name: NEVE

Dermal LD50 2650 mg/Kg (rbt)

141-78-6 ethyl acetate

Oral LD50 4935 mg/Kg (rbt)

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- -STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

111-76-2 2-butoxyethanol

LC50 (96h) 1474 mg/L (Fish)

EC50 (48h) 1550 mg/L (Daphnia)

EC50 (96h) 911 mg/L (Algae)

EC50 (72h) 1840 mg/L (Algae)

51981-21-6 glutamic acid, N,N-diacetic acid, tetrasodium salt

LC50 (96h) > 100 mg/L (Fish)

141-78-6 ethyl acetate

LC50 (4 h) 1600 mg/L (rat)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

Printing date 28.06.2017 Version number 1 Revision: 28.06.2017

Trade name: NEVE

(Contd. of page 6)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Can be deposited with household garbage with prior chemical-physical or biological treatment following consultations with the operator of the waste disposal facility and the pertinent authorities and under adherence to the necessary technical regulations.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

- UN-Number - ADR, IMDG, IATA	Void	
- 14.2 UN proper shipping name - ADR, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)		
- ADR, IMDG, IATA		
- Class	Void	
- Packing group		
- ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards:	Not applicable.	
- 14.6 Special precautions for user	Not applicable.	
- Stowage Category	A	

SECTION 15: Regulatory information

- -15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations
- Classification according to VbF: Void
- Technical instructions (air):

Class	Share in %
Wasser	91.5
NK	3.4

- Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 8)

Printing date 28.06.2017 Version number 1 Revision: 28.06.2017

Trade name: NEVE

(Contd. of page 7)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

- Department issuing data specification sheet: Ma-Fra Laboratories
- Contact: lab@mafra.it

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

- * Data compared to the previous version altered.

GB